

CHECKPOINT INVENTORY CONTROL SOLUTIONS 2017



EAS Solutions - Labels and Tags

Soft Labels

Checkpoint's Radio Frequency labels are easy to apply, either in-store or at source, easy to detect when passed between EAS Antennas, and can be easily deactivated with Checkpoint's top-of-the-line deactivation solutions at the point of sale.

Examples:



410 EP Label Series

1.57" x 1.57" (40mm x 40mm)

Plain, Barcode, PSG, Thermal Transfer



710 EP Label Series

1.25" x 1.5" (34mm x 39mm)

Plain, Barcode, Thermal Transfer



2410 EP Micro PST Label

0.9" x 1" (23mm x 26mm)

White, Clear, Barcode, Custom Print



2815 EP Shoe Label

1.94" x 1.051" (49.3mm x 26.7mm)



2928 EP Micro Tamper Tag

1.1" Diameter (28mm Diam.)

Black Lock, Clear, Custom Print



2933 EP Tamper Tag

1.3" Diameter (33mm Diam.)

Black Lock, Clear, Custom Print



3710 EP Micro Cosmetic Label

0.594" x 2.047" (15.1mm x 52mm)



4210 EP Food Label

1.65" x 1.46" (42.0mm x 37.0mm)

Plain, Clear, Clear and Yellow Black Lock

Infinite Solutions (iS)

Checkpoint's iS product portfolio provides retailers with a unique and innovative platform for today's ever-changing environment. The portfolio includes reusable and disposable options for @source and in-store application.

Examples:



iS AutoPeg

1.78" W x 1.31" H x 0.58" D
(45.2mm x 33.4mm x 14.8mm)

RF or AM technology; Grey or Yellow



iS AutoPeg EX

1.78" W x 1.57" H" x 0.87" D
(45.2mm x 40.0mm x 22mm)

RF technology; Grey only



iS Shackle Tag

1.17" W x 1.42" D x 1.98" H
(29.7mm x 36mm x 50.3mm)

RF technology; Grey only

Hard Tags

Checkpoint's Hard Tag @ Source (HT@S) program is an essential component of the company's market leading Radio Frequency EAS @ Source program and enables retailers to move the non-value added labor required to secure merchandise to the most efficient location in the supply chain.

Examples:



Gen 2 Hard Tag

1.0" x 2.0" (26mm x 50mm)

RF technology; Grey only



Gen 3 Hard Tag Series

1.8" Diameter (46mm Diam.)

RF technology; Grey, Custom Print



G6 RFID Hard Tag

2.13" x 2.05" x 0.70" (54.1mm x 52.0mm 17.9mm)

RF or AM Pin technology, Grey



Ink Tags

1.8" Diameter (46mm Diam.)

Blue or Red



For details, scan this QR code or visit our website.



ELECTRONIC ARTICLE SURVEILLANCE RF LABEL MATRIX

FEATURES	DIMENSIONS	HA	AA	DROP IN	PLAIN	WHITE	DBC	BLACK LOCK	CLEAR	BLACK	YELLOW/BLACK LOCK	REMOVABLE ADHESIVE	500 PER ROLL	1KR	2KR	4KR	8KR	TRAY	THERMAL DIRECT	THERMAL TRANSFER	BIL	SHOE	NON DEACT	DEACT	RED DOT ROUND	PSG	P2S	RF & RFID DUAL TECHNOLOGY	DIRECT FOOD CONTACT	INTEGRATED	FREEZER	DELI	FOOD				
310 ECON	1.89" x 1.89" 48mm x 48mm	✓				✓	✓							✓						✓				✓													
410 ECON	1.57" x 1.57" 40mm x 40mm	✓			✓	✓	✓			✓				✓	✓				✓	✓				✓													
40R ECON	1.57" Round 40mm Round	✓									✓			✓					✓					✓													
3810 ECON	1.181" x 1.26" 30mm x 32mm	✓	✓		✓	✓	✓							✓			✓		✓					✓													
410	1.57" x 1.57" 40mm x 40mm	✓	✓	✓	✓	✓	✓			✓		✓	✓	✓	✓	✓	✓	✓	✓					✓		✓											
710	1.25" x 1.5" 34mm x 39mm	✓			✓	✓	✓												✓		✓			✓													
410 EP	1.57" x 1.57" 40mm x 40mm		✓			✓								✓					✓					✓		✓											
710 EP	1.25" x 1.5" 34mm x 39mm		✓			✓	✓		✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
2815 EP	1.94" x 1.08" 49.3mm x 26.7mm		✓			✓								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
3110 EP	8" x 2.6" 22mm x 47mm		✓			✓								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
815 SPW	1.811" x 1.22" 46mm x 31mm													✓								✓		✓	✓												
1915 EP	2.444" x 1.318" 62.10mm x 33.5mm		✓			✓														✓				✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
3210 EP	.748" x 2.559" 19mm x 65mm		✓						✓					✓						✓				✓													
2410 EP	9" x 1" 23mm x 25mm		✓		✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2410 EP	9" x 1" 23mm x 25mm		✓		✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
2933 EP	33mm Round		✓			✓		✓	✓					✓	✓				✓					✓													
2928 EP	28mm Round		✓					✓						✓					✓					✓													
3610 EP	.59" x 2.047" 15mm x 52mm		✓			✓								✓					✓					✓			✓										
3710 EP	5" x 2" 15.1mm x 52mm		✓								✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
4210 EP	1.85" x 1.48" 42mm x 37mm		✓		✓	✓		✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4215 EP	2.09" x 1.65" 53mm x 42mm		✓							✓				✓					✓					✓									✓	✓	✓	✓	
7310 EP	2.244" x 0.010" 57mm x .254mm		✓									✓							✓					✓								✓	✓	✓	✓	✓	
Uno Square	1.54" x 1.89" 39mm x 43mm					✓		✓	✓					✓														✓									
Uno Rectangle	2.35" x 1.05" 59.8mm x 26.7mm					✓		✓	✓					✓														✓									

Legend: HA = Hand Apply AA = Auto Apply DBC = Dummy Bar Code Remy Adhv = Removable Adhesive KR = Thousand Roll BIL = Bottle Integrated Label Non Deact = Non-deactivatable Deact = Deactivatable PSG = Paper Status Guard PSG = Paper Two Sides TR/TRAY = 3 or 4 Rolls in a Tray that Equal 2000 Labels

CHECKPOINT EAS SOLUTIONS LABELS

ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGON
ECON LINE LABELS				
	10111894	1KR	310 ECON Dummy Barcode	All
	10111888 10112475	1KR 2KR	410 ECON Dummy Barcode	All
	10111887 10112019	1KR 2KR	410 ECON Plain	All
	10111899	1KR	410 ECON Thermal Direct	All
	10111904	1KR	410 ECON Black	All
	10111896	1KR	40R ECON Yellow Black Lock	All
	10111897	1KR	3810 ECON Plain	All
	10121511	4KR	3810 ECON Dummy Barcode 30 x 30	All
	10121511 10137848	8KR 4KR	3810 AA Plain	All



CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
400 SERIES LABELS				
	7551246 7214751	2KR 2K TRAY	410 HA Plain 1.57" x 1.57" 40mm x 40mm Designed for in-store tagging Good detection & deactivation	All
	7909949 7150318	2KR 2K TRAY	410 HA Dummy Barcode 1.57" x 1.57" 40mm x 40mm Designed for in-store tagging Good detection & deactivation	All
	7283986	TR (2K)	410 HA Black 1.57" x 1.57" 40mm x 40mm Designed for in-store tagging Good detection & deactivation	All
	7288101 7410149	4KR 8KR	410 AA Plain Thermal Transfer 1.57" x 1.57" 40mm x 40mm Designed for automatic application at source or distribution	All
	9135203	1KR	410 Drop in White 1.57" x 1.57" 40mm x 40mm	All
	7167168	2KR	410 White with Removable Adhesive 1.57" x 1.57" 40mm x 40mm	All



CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
700 SERIES LABELS				
	7232717	TR (2K)	710 Plain HA 1.25" x 1.5" 34mm x 39 mm Designed for in-store tagging Good detection & deactivation	All
	7232019	TR (2K)	710 HA Dummy Barcode 1.25" x 1.5" 34mm x 39 mm Designed for in-store tagging Good detection & deactivation	All





CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
400 SERIES ENHANCED PERFORMANCE LABELS				
	7103188	2KR	410 EP AA Thermal Transfer 1.57" x 1.57" 40mm x 40mm	All
	7332573	4KR	410 EP PSG, Thermal Transfer 1.57" x 1.57" 40mm x 40mm	All
	7361741	8KR	410 EP AA Thermal Transfer 1.57" x 1.57" 40mm x 40mm Designed for automatic application at source or distribution	All
700 SERIES ENHANCED PERFORMANCE LABELS (DEACTIVATABLE ONLY)				
	7174997	2KR	710 EP, AA Thermal Transfer 1.25" x 1.5" 34mm x 39 mm	All
	7183170	4KR	710 EP, AA Thermal Transfer 1.25" x 1.5" 34mm x 39 mm	All
	7248352	8KR	710 EP, AA Thermal Transfer 1.25" x 1.5" 34mm x 39 mm	All
	7196842	4KR	710 EP, AA, Bil 1.25" x 1.5" 34mm x 39 mm	All
	7161083	8KR	710 EP, AA Bil 1.25" x 1.5" 34mm x 39 mm	All
	7126856	2KR	710 EP AA Non Deactivatable 1.25" x 1.5" 34mm x 39 mm	All
	10121437	4KR	710 EP DBC 1.25" x 1.5" 34mm x 39mm	All

CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
2815 SERIES ENHANCED PERFORMANCE LABELS (DEACTIVATABLE ONLY)				
	7247413	2KR	2815 EP AA Thermal Transfer 1.94" x 1.08" 49.3mm x 26.7mm Slim design and enhanced performance	All
	7178327	4KR	2815 EP AA Thermal Transfer 1.94" x 1.08" 49.3mm x 26.7mm	All
	10110088	8KR	2815 EP AA Thermal Transfer	All
2900 SERIES ENHANCED PERFORMANCE LABELS				
	7666078	2KR	2933 HA EP Thermal Transfer W PSG- MTO 33mm round Ideal for customization	All
3110 SERIES ENHANCED PERFORMANCE LABELS				
	7123511	2KR	3110 AA EP Thermal Transfer .866" x 1.85"	All
	7387589	4KR	22mm x 47mm Slim design and enhanced performance	
3210 SERIES CLEAR ENHANCED PERFORMANCE LABELS				
	7223155	2KR	3210 EP AA Clear 0.748" x 2.559" 19mm x 65mm Clear label designed for small narrow products (such as cosmetics) Able to scan a barcode through the label	All








CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
800 SERIES LABELS (DEACTIVATABLE ONLY)				
	10121513	2KR	815 Shoe SPW 1.811" x 1.22" 46mm x 31mm Direct shoe integration Permanent deactivation	All
	10121894	2KR	815 Shoe SPW RED DOT REM 1.811" x 1.22" 46mm x 31mm Direct shoe integration Permanent deactivation	All
2815 SERIES ENHANCED PERFORMANCE LABELS (DEACTIVATABLE ONLY)				
	10107376	2KR	2815 EP Shoe Label 1.940" x 1.051" 49.3mm x 26.7mm Direct shoe integration Permanent deactivation Enhanced performance and manufacturing process tolerance	All
1915 EP PSG SPECIALTY				
	7242481	4KR	1915 EP AA Thermal Transfer 2.444" x 1.318" 62.10 x 33.50mm Designed for foil blister packs	All








CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
ENHANCED PERFORMANCE P2S LABELS				
	7190912	4KR	410 EP P2s 1.57" x 1.57" / 40mm x 40mm	All
	7401570	4KR	710 EP P2s 1.25" x 1.5" / 34mm x 39 mm	All
	7153342	2KR	2815 EP P2s 1.94" x 1.08" / 49.3mm x 26.7mm	All
2410 MICRO PST EP				
	7501668	TR (3rolls = 2K)	2410 Micro PST EP AA, Clear 0.9" x 1" 23mm x 25mm The smallest RF label in the world Fits on hard to protect items and does not interfere with data or branding	All
	10104320	TR (3rolls = 2K)	2410 Micro PST EP, DBC The smallest RF label in the world Fits on hard to protect items and does not interfere with data or branding	All
	10104319	TR (3rolls = 2K)	2410 Micro PST EP, AA Plain The smallest RF label in the world Fits on hard to protect items and does not interfere with data or branding	All
	10107530 10112804	2KR 4KR	2410 Micro PST EP, White 2410 Micro PST Clear	All
	10121550	TR (4rolls=2k)	The smallest RF label in the world Fits on hard to protect items and does not interfere with data or branding	All
	10137714	2KR	2410 EP Micro PST, CLR BL, DE 8.2	All




CHECKPOINT EAS SOLUTIONS LABELS







ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
2933 EP TAMPER TAG ENHANCED PERFORMANCE CLEAR LABEL				
	7740096	2KR	2933 EP Clear Bil Tamper Tag 33mm round label Tamper resistant, Customizable	All
	10104215	4KR	2933 EP Clear Bil Tamper Tag 33mm round label Tamper resistant, Customizable	All
	10103110 10138893	2KR 4KR	2933 EP Tamper Tag, Black Lock 33mm round label Tamper resistant Trademarked anti theft symbol	All
2928 EP TAMPER TAG ENHANCED PERFORMANCE CLEAR LABEL				
	10110271 10138332	2KR 4KR	2928 EP Clear Micro Tamper Tag Black lock 28mm round	All
2928 S MICRO TAG				
	10138336	2KR	2928 S Micro Tag Black Lock 28mm round	All
3610 MICRO EP P2S				
	10105073	2KR	3610 Micro EP P2S Care 0.59" x 2.047" 15mm x 52mm Designed for woven pocket tag integration Worlds narrowest RF EAS Label	All
3710 MICRO EP COSMETIC				
	10106356	TR (2K)	3710 Micro EP Clear 0.5" x 2" 15.1mm x 52mm World's narrowest RF EAS label Fits small goods and cosmetics With curve tolerance	All
	10110639	2KR	3710 Micro COS, BL The smallest RF label in the world Fits on hard to protect items and does not interfer with data or branding	All
	10112805	4KR		
	10121549	500CT		
		63		

CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
4210 EP FOOD LABEL				
	10121539	4KR	4215 Integration - Label 2.09" x 1.65" 53mm x 42mm	All
 <p>Security Protected Packaging Not Suitable for Microwaving</p> <p>Front - Deli Label</p>  <p>Back - Deli Label</p>	10121540	500	7310 Integrated - Deli Label (4215 Label Integrated into 7310 Deli Label) 2.244" x 0.010" 57mm x 73mm	All

CHECKPOINT EAS SOLUTIONS LABELS

ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
4210 EP FOOD LABEL				
			4210 EP Food Label 1.65" x 1.46" 437m x 4mm Smallest food label, Certified Microwave safe	All
	10115064	4KR	4210 Clear	All
	10115310	2KR	4210 Plain Direct Food Contact	All
	10115312	2KR	4210 Plain Indirect Food Contact	All
	10117753	2KR	4210 Black Lock White	All
	10117757	2KR	4210 Black Lock Yellow	All
	10121040	2KR	4210 EP Food BL Freezer	All

CHECKPOINT EAS SOLUTIONS LABELS



ARTICLE	ARTICLE NUMBER	UOM	DESCRIPTION	REGION
CUSTOM PRINT LABELS - MADE TO ORDER				
	N/A	2KR	Standard Custom Print - 1 color 500K label minimum	
		2KR	Standard Custom Print - 2 color 500K label minimum A range of custom print options available on request	
TAMPER TAG CUSTOM PRINT				
	N/A	2KR	2933 Tamper Tag 1 Color Print	
		2KR	2933 Tamper Tag 2 Color Print	
		2KR	2933 Tamper Tag 3 Color Print	
		2KR	2933 Tamper Tag 4 Color Print	
		2KR	2933 Tamper Tag 1 Line Variable Data	
		2KR	2933 Tamper Tag 2 Line Variable Data	
UNO SERIES DUAL RF-RFID LABEL				
	10121328	1500	UNO SERIES DUAL RF-RFID - SQUARE 1.535" x 1.693" 39mm x 43mm UNO Series is the world's first Dual Technology tag that incorporates both RF and RFID technologies in a single tag for the form factor	
	10121327	2000	UNO SERIES DUAL RF-RFID RECTANGLE 2.354" x 1.051" 59.8mm x 26.7mm UNO Series is the world's first Dual Technology tag that incorporates both RF and RFID technologies in a single tag for the form factor	